

STANLEY
Infrastructure

HANDHELD CORDLESS TOOLS PRODUCT CATALOG



**HUNDREDS OF APPLICATIONS
ON ONE BATTERY PLATFORM**

CRIMPING & CUTTING UNTETHERED

For over 30 years, STANLEY Infrastructure has provided the electric utility industry with the most durable, most user friendly hydraulic tools. Our brand new line of cordless hydraulic tools build on that legacy by continuing to make work safer, less strenuous, and more efficient. This line consists of both 6 and 12 ton tools with application specific handle and head styles. Using extensive user input, these tools were developed to help utility workers complete the toughest tasks they face every day on the job.

General Features

- Weather-resistant tool bodies, which incorporate an innovative membrane that allows air in to cool the motor while keeping moisture and dust out. Linemen work in every imaginable weather condition, so should the tools they use.
- Critical components such as the controller board, motor switch, and battery connections are protected by additional moisture resistant technologies.
- These new STANLEY tools share into the premium 20v Max battery platform from DeWALT. This means that a single DeWALT battery can power crimping and cutting tools as well as any of the 100+ power tools currently in the 20v Max line.
- IntelLED™ system consists of a very bright ring of LEDs to provide worksite illumination as well as intuitive user feedback about crimp quality. During advance cycle, LEDs shine bright white to help eliminate shadows and minimize work errors. When a good crimp is made, LEDs will flash green. If a bad crimp is made, LEDs will flash red. Further functionality notifies user of maintenance status or tool malfunction.
- Tools are balanced at users hand, for reduced fatigue and improved work duration.
- On-board memory that records cycle count and crimp quality information. Users can access this information via USB cable with STANLEY's crimp software.

Inline Crimper Model IBC600

Time saving rocker trigger system with integrated lockout for safety. 360 Degree rotational head. Easily interchangeable jaws with quick release pin. Cutting jaws available Spring 2018.

SPECIFICATIONS

6 Tons Crimping Force
CU/AL Connectors to 500 MCM
HTAPS to 4/0-4/0
Jaws Available: D3+O, D3+BG, Kearney+BG
Accepts Standard "W" Dies or Kearney Dies
Available In Kit Form and As Bare Tool





Different Jaw Configurations
D3+O, D3+BG, and Kearney+BG.

Quick Release Pin
Allows for easy jaw change.

INTELED Illumination Technology
Illuminates work area and provides crimp feedback.

Double Action Rocker Trigger
Allows quick cycle time.

Weather Resistant Protective Membrane
Allows electronics to be ventilated while keeping water, dust, and mud out of the crimper.

Premium DEWALT 20V MAX Battery
Compatible with 100+ DEWALT tools.

**BRIGHT
LED RING**



**WEATHER
RESISTANT**



**DEWALT
BATTERY
PLATFORM**



**3
YEAR** **LIMITED WARRANTY**
ON ALL BATTERY CRIMPING AND CUTTING TOOLS

CORDLESS CRIMPING TOOLS

STANLEY
Infrastructure

Pistol Grip Crimper Model PBD600


Flip-top Anderson style four point dieless head. Head opening release pin permanently attached to avoid misplacement. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

SPECIFICATIONS

Compression Force: 6 Tons

Crimping capacity: Lugs & Splices - Copper #8-500 MCM, Aluminum #8-300MCM, HTAPS - up to 4/0-4/0.

Available In Kit Form and As Bare Tool



Pistol Grip Crimper Model PBD1200

One inch C head that accepts standard U type dies. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

SPECIFICATIONS

Compression Force: 12 Tons

Crimping capacity: 636 MCM AL, 500 MCM CU, 556 ACSR.

Head opening: 1"

Available In Kit Form and As Bare Tool



Pistol Grip Crimper Model PBD1201

One-and-a-half-inch C head that accepts standard U type dies. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

SPECIFICATIONS

Crimping Force: 12 Tons

Crimping Capacity: CU/AL Connectors Up to 750 MCM, ACSR - 556

Head Opening: 1.5"

Available In Kit Form and As Bare Tool



Pistol Grip Crimper Model PBD1202

One and a half inch Kearney style head that accepts WH2 and WH3 style dies. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

SPECIFICATIONS

Compression Force: 12 Tons

Crimping capacity: 750 MCM AL+CU, 556 ACSR.

Head opening: 1.5"

Available In Kit Form and As Bare Tool



Pistol Grip Cutter Model PBCC40

One and a half inch (40mm) guillotine head. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.


SPECIFICATIONS

Cutting Force: 8.8 Tons

Cutting Capacity: Up to 1750 MCM CU/AL, Up to 1590 ACSR,

Up to .7" Guy Wire or .5" EHS, Up to .75" Ground Rods

Available In Kit Form and As Bare Tool



Pistol Grip Crimper Model PBCC65

Two and a half inch (65mm) scissor style head. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

SPECIFICATIONS

Cutting Force: 6.0 Tons

Cutting Capacity: Up to 2.5" CU/AL

Available In Kit Form and As Bare Tool



Pistol Grip Crimper Model PBCC85

Three and a quarter inch (85mm) guillotine head. Double trigger with integrated lockout for safety. Secondary white LED light in handle for improved illumination of work area.

SPECIFICATIONS

Cutting Force: 5.5 Tons

Cutting Capacity: Up to 1250 MCM CU/AL, 3.3" Telecom Cable

Available In Kit Form and As Bare Tool



CRIMPERS AND CUTTERS

ORDERING INFORMATION

STANLEY
Infrastructure

STANLEY Inline Crimping Tools

| Part No. | Description |
|------------|--|
| IBC600BO | 6 TON INLINE TOOL - D3/O JAWS |
| IBC600BG | 6 TON INLINE TOOL - D3/BG JAWS |
| IBC600BKE | 6 TON INLINE TOOL - KEARNEY/BG JAWS |
| IBC600KO2 | 6 TON INLINE TOOL KIT- D3/O JAWS - 2X 2 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG |
| IBC600KG2 | 6 TON INLINE TOOL KIT- D3/BG JAWS - 2X 2 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG |
| IBC600KKE2 | 6 TON INLINE TOOL KIT- KEARNEY/BG JAWS - 2X 2 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG |
| IBC600KO5 | 6 TON INLINE TOOL KIT- D3/O JAWS - 2X 5 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG |
| IBC600KG5 | 6 TON INLINE TOOL KIT- D3/BG JAWS - 2X 5 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG |
| IBC600KKE5 | 6 TON INLINE TOOL KIT- KEARNEY/BG JAWS - 2X 5 AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG |

STANLEY Pistol Grip Crimping and Cutting Tools

| Part No. | Description |
|-----------|--|
| PBD600B | 6 TON PISTOL CRIMPING TOOL - FLIP TOP DIELESS HEAD - BARE TOOL |
| PBD600K5 | 6 TON PISTOL CRIMPING TOOL KIT - FLIP TOP DIELESS HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG |
| PBD1200B | 12 TON PISTOL CRIMPING TOOL - 1" C HEAD - BARE TOOL |
| PBD1200K5 | 12 TON PISTOL CRIMPING TOOL KIT - 1" C HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG |
| PBD1201B | 12 TON PISTOL CRIMPING TOOL - 1.5" C HEAD - BARE TOOL |
| PBD1201K5 | 12 TON PISTOL CRIMPING TOOL KIT - 1.5" C HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG |
| PBD1202B | 12 TON PISTOL CRIMPING TOOL - 1.5" KEARNEY HEAD - BARE TOOL |
| PBD1202K5 | 12 TON PISTOL CRIMPING TOOL KIT - 1.5" KEARNEY HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG |
| PBCC40B | 8.8T PISTOL CUTTING TOOL - 40MM/1.57" GUILLotine HEAD - BARE TOOL |
| PBCC40K5 | 8.8T PISTOL CUTTING TOOL KIT - 40MM/1.57" GUILLotine HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG |
| PBCC65B | 6.0T PISTOL CUTTING TOOL - 65MM/2.55" SCISSOR HEAD - BARE TOOL |
| PBCC65K5 | 6.0T PISTOL CUTTING TOOL KIT - 65MM/2.55" SCISSOR HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG |
| PBCC85B | 5.5T PISTOL CUTTING TOOL - 85MM/3.34" GUILLotine HEAD - BARE TOOL |
| PBCC85K5 | 5.5T PISTOL CUTTING TOOL KIT - 85MM/3.34" GUILLotine HEAD - 2X 5AH DEWALT BATTERIES - 120V AC CHARGER - BUCKET BAG |

STANLEY Crimping and Cutting Accessories

| Part No. | Description |
|----------|--|
| DCB205 | DEWALT 20V MAX* LI-ON 5AH BATTERY |
| DCB203 | DEWALT 20V MAX* LI-ON 2AH LI-ION BATTERY |
| DCB115 | DEWALT 20V ACCESSORY CHARGER |
| DCB119 | DEWALT 12V MAX - 20V MAX LI-ION VEHICLE BATTERY CHARGER |
| 92821 | D3/O CRIMPING JAW |
| 92822 | D3/BG CRIMPING JAW |
| 92823 | KEARNEY CRIMPING JAW |
| BB02 | BUCKET BAG - PISTOL GRIP CORDLESS CUTTING & CRIMPING TOOLS |
| BB01 | BUCKET BAG - INLINE CORDLESS CUTTING & CRIMPING TOOLS |

7/16" Hex Drive Impact Wrench Kit DCF898P2

SPECIFICATIONS

Up to 500 ft-lbs of max torque
 Compact design of 8-13/16" in length and weighs only 7.2 lbs
 Multi-speed control for a variety of applications (0-400/ 1,200/ 1,900 RPM)
 Quick release 7/16" chuck and lift hook
 LED light with 20 second delay for increased visibility



3/8" Square Drive Impact Wrench Kit DCF890M2

SPECIFICATIONS

Compact and ergonomic with only 5.5" head length and 2 lbs (tool only)
 DEWALT built brushless motor for increased efficiency and runtime
 Max torque of 150 ft-lbs in a compact package for a variety of different fastening applications
 3 LEDs and a belt clip for additional ease of use



1/2" Square Drive Impact Wrench Kit DCF899P2

SPECIFICATIONS

Up to 700 ft-lbs of max torque and 1200 ft-lbs of max breakaway torque
 Compact design of 8-13/16" in length and weighs only 7.2 lbs
 Multi-speed control for a variety of applications (0-400/ 1,200/ 1,900 RPM)
 1/2" Anvil with detent pin (also available in hog ring)
 LED light with 20-second delay for increased visibility



1/4" 3-SPEED IMPACT DRIVER KIT DCF887M2

SPECIFICATIONS

3-speed settings for optimized application versatility
 Precision drive in speed 1 for precision applications and added control
 3 LEDs with 20-second delay after trigger release, provide visibility without shadows
 One-handed loading 1/4" hex chuck with easy grip sleeve, accepts 1" bit tips



POWER TOOLS

DEWALT®

Rotary Hammer KIT DCH481X2

SPECIFICATIONS

6.1J's of impact energy provides corded power without the cord.
E-Clutch for maximum control in bind-up situations - A Perform and Protect feature.
SHOCKS - Active Vibration Control reduces vibration felt by the user at the handles.
DEWALT built brushless motor for all day runtime and durability
Two 20V/60V MAX* FLEXVOLT 9.0Ah Batteries



3-Speed Hammerdrill Kit DCD996P2

SPECIFICATIONS

DEWALT-built high power, high efficiency brushless motor delivers up to 75% more runtime vs. 18v NiCad brushed motors. XR Li-Ion batteries with fuel gauge provide 33% more capacity over standard packs
3-Mode LED provides lighting in dark or confined spaces up to 20X brighter than previous model
3-speed, all-metal high performance transmission optimizes tool-to-task for fast application speeds and improved run-time



Cutoff Saw Kit DCS373P2

SPECIFICATIONS

Powerful 460 MWO, 3700 rpm motor delivers power and speed to make the most demanding cuts with ease
5-1/2" 30T carbide-tipped metal cutting blade quickly and cleanly cuts a variety of metallic construction materials
Sight-Line™ window provides for a clear view of the material
High-strength steel shoe offers durability and resistance against chip build up
Optimized rubber overmolded comfort grip delivers optimal balance and control



Band Saw Kit DCS371P1

SPECIFICATIONS

Centered handle position provides superior balance and ergonomics and allows for more accurate cuts and less user fatigue
LED work light with 20-second delay illuminates dark work surfaces for accurate cutting.
Blade tracking adjustment increases blade life by providing better blade tracking



RECIPROCATING SAW KIT DCS367P1

SPECIFICATIONS

Compact 14.5" length fits in between studs & in other tight spots
 Only 5 lbs. in weight (tool only)
 Keyless 4-Position Blade Clamp for quick & easy blade changes & cutting versatility
 Variable speed trigger delivers up to 2,900 SPM
 Bright LED light to illuminate dark work areas



Chainsaw Kit DCCS670X1

SPECIFICATIONS

Low Kick Back 16" Oregon® Bar and Chain for construction and outdoor cutting applications
 Tool-Free chain tensioning and bar tightening knob for proper bar clamping force
 Auto-Oiling for continuous lubrication. Quarter-turn oil cap for quick oil re-fills
 Chain brake for kick back protection
 Up to 70 cuts per charge* *on a 6" x 6" pressure treated pine wood



Blower Kit DCBL720P1

SPECIFICATIONS

Up to 400 CFM of air volume at 90 MPH to clear debris
 High-efficiency brushless motor maximizing run time and motor life
 Innovative axial fan design that maximizes on air output and run time
 Lightweight and ergonomic design maximizes control and minimizes stress on your arm
 Low noise during operation - 61 dB(A).
 Variable trigger and speed lock for full power control



Grinder Kit DCG412P2

SPECIFICATIONS

8,000 rpm motor provides high-power for cutting and grinding applications
 Quick-Change™ Wheel Release allows for tool-free wheel changes without the need for a wrench
 Tool-free guard allows for quick and easy guard adjustments/positioning
 2-finger trigger switch (w/ lock-off button) allows for convenient activation and easier gripping
 2-position side handle offers greater control, comfort and versatility



POWER TOOLS

DEWALT®

Cordless ACSR Cable Cutter DCE150D1

SPECIFICATIONS

Able to cut up to 750 MCM Copper and 1000 MCM Aluminum Cable
Easily replaceable cutting blade
Padded shoulder strap with connection ring
Bright LED light to help illuminate cutting surface
Easily accessible forward/reverse switch



Cordless ACSR Cable Cutter DCE155D1

SPECIFICATIONS

Cuts up to 1590 ACSR, 750 MCM Copper or 1000 MCM Aluminum
Guillotine cutter maintains cable profile for easy connector installation
Bright LED light helps to illuminate cutting area
Field serviceable / replaceable blade
LED light with 20 second delay provides visibility in dimly lit spaces



Portable Power Station DCB1800B

FEATURES

1800 Watt Portable Power Station
4 Port Parallel Charger
Four 20V MAX* batteries in (including FLEXVOLT), 15 amps out
Batteries and extension cord sold separately
Runs most variable speed power tools



18V to 20V Adapter DCA1820

SPECIFICATIONS

Allows for use of 20V MAX* lithium ion batteries in most 18V DEWALT tools.
Requires use of 20V MAX* DEWALT charger.
Do not use with premium DEWALT batteries in DC970 or DC759 tools.
This Adapter will not work with 20V/60V FLEXVOLT Batteries.



Jobsite LED Spotlight DCL043

SPECIFICATIONS

3 bright LEDs illuminate dark jobsite work areas, 1 bright Red LED to preserve night vision
2 brightness settings provide flexibility for maximum light output or extended run-time
90-degree pivoting head provides versatility for lighting work surfaces
Distance - Can be seen up to 508 yards or 1,525 feet
Pivoting head allows for hands-free operation





DEWALT Cordless Tools

| Part No. | Description |
|-----------|---|
| DCH481X2 | DEWALT 60V MAX* BRUSHLESS 1-9/16" SDS MAX COMBINATION HAMMER 9AH FV |
| DCF898P2 | DEWALT 20V BL 7/16" IMPACT WRENCH KIT |
| DCF890M2 | DEWALT 20V MAX* XR 3/8IN IMPACT WRENCH KIT |
| DCF899P2 | DEWALT 20V BL 1/2IN IMPACT WRENCH KIT 5AH |
| DCF887M2 | DEWALT 20V MAX* XR 1/4" 3-SPEED IMPACT DRIVER KIT (4.0AH) |
| DCS373P2 | DEWALT 20V MAX* LITHIUM ION METAL CUTTING CIRCULAR SAW KIT 5AH |
| DCS371P1 | DEWALT 20V MAX* BANDSAW KIT 5AH |
| DCCS670X1 | DEWALT 60V 16IN CHAINSAW |
| DCG412P2 | DEWALT 20V MAX* LITHIUM ION CUT-OFF TOOL KIT 5AH |
| DCS367P1 | DEWALT 20V MAX* BRUSHLESS COMPACT RECIP SAW |
| DCBL720P1 | DEWALT 20V BRUSHLESS BLOWER WITH 5 AH PACK |
| DCD996P2 | DEWALT 20V MAX* XR LITHIUM ION BRUSHLESS 3-SPEED HAMMERDRILL KIT |
| DCE150D1 | 20V MAX* CORDLESS ACSR CABLE CUTTING TOOL KIT |
| DCE155D1 | 20V MAX* CABLE CUTTING TOOL KIT |

Batteries & Accessories

| Part No. | Description |
|----------|---|
| DCL060 | DEWALT 18V / 20V MAX* CORDLESS LED WORKLIGHT |
| DCL043 | 20V MAX* JOBSITE LED SPOTLIGHT |
| DCB609 | DEWALT 20V/60V MAX* FLEXVOLT LI-ON 9AH BATTERY |
| DCB119 | DEWALT 12V MAX - 20V MAX LI-ION VEHICLE BATTERY CHARGER |
| DCB1800B | 1800 WATT PORTABLE POWER STATION AND PARALLEL BATTERY CHARGER |
| DCA1820 | 18V TO 20V ADAPTER |
| DCB090 | 12V/20V MAX* USB POWER SOURCE |



HANDHELD AND MOUNTED SOLUTIONS FOR ELECTRICAL, MUNICIPAL, RAILROAD, CONSTRUCTION AND DEMOLITION APPLICATIONS

Your Authorized Stanley Dealer

STANLEY.

6430 SE Lake Rd.
Portland, OR 97222
Tel. 800-972-2647
Fax 503-652-1780

www.stanleyinfrastructure.com
0118

